7inc

COMPOSITION:

Zinc (Zn) chelated by EDTA......15 %

HOW TO APPLY:

Apply to the soil dissolved in the irrigation water Compatible with drip irrigation, flooding irrigation, injection, localization, etc. We recommend a previous dissolution.

PERIOD OF USE:

Whenever signs of Zinc deficiency appear.

When applying for preventive purposes, use KELKAT ZINC from the beginning of sprouting up in ligneous plants and prior blossoming of herbaceous plants.

DH INTERVALS:

KELKAT ZINC remains stable in soils with a pH between 3-12.

COMPATIBILITIES:

It is compatible with the most common fertilizers

WARNINGS:

- Do not swallow the product
- Avoid contact with eyes
- Wash with soap and water after application

P102 Keep out of reach of children

P270 Do no eat, drink or smoke when using this product.

EXPIRY DATE: 3 years from manufacturing date.

MANUFACTURED BY: ATLANTICA AGRICOLA S.A

C/ Corredera, 33-03400 VILLENA (Alicante) Spain

Telf.: (34) 96 580 04 12 - (34) 96 580 03 58

FAX (34) 96 580 03 23

e-mail: info@atlanticaagncola.com

nttp://www.atlanticaagricola.com

Официальный дистрибьютор в Азербайджане:

компания «ЭМА»

АZ 1034 Баку Азербайджан Tel: 00 994 12 450 34 17 Fax: 00 994 12 550 81 53



EC FERTILIZER ZINC DEFICIENCY CORRECTOR

Crop	Fertirrigation * kg/ha	Foliar g/100 L
Fruit trees	3-6	100-200
Horticultural crops	2.5	
Hydroponics	2-4	
Ornamentals	2-4	
Nursery	2-4	

Rates per application

IMPORTANT:

These doses must be used as a guidance and it will be up to the user to either increase or decrease them depending on the size of the plant and the intensity of the deficiency to treat

The data here explained are based on the experiences obtained

NOTE:

Warning to the user

Atlantica Agricola, S.A. guarantees the composition and content of this product

However, on using and mixing other factors can intervene which escape our control. Consequently, the user will be responsible for any damage costs (toxicity, residues, lack of efficiency, etc...).

Net weight: 1 kg